ಅಧ್ಯಕ್ಷರು.—ಆ ತರಹ ಪರ್ಮಿಟ್ ಕೊಟ್ಟಿಲ್ಲ ಎಂದು ಹೇಳಿದ್ದಾರೆ.

Sri C. V. VENKATARAYAPPA.—I know it perfectly. Should not the Government take action against the Government officials concerned ?

Smt. E. E. VAZ.—We will get it examined.

Madam SPEAKER.—Now question hour is over.

QUESTTION FOR ANSWERS ON THE DAY

(but not takenup)

CROSS DRAINAGE WORKS ON ROAD BETWEEN THANGADGI AND MUDDEBIHAL

68. Sri M. M. SABJAN (Muddebihal).—

Will the Minister for Public Works and Electricity be pleased to state :—

(*a*) the reasons why C.D. works on the road between Thangadi to Muddebihal and then on to Basavan Bagewadi *via* Huvinahippargi are not being taken up upto this time since the date of its handing over by the D.L.B. of Bijapur District ;

(*b*) whether it is a fact that there are about (41) Fortyone nallas on the above said road and that each of that nalla blocks the vehicles even after a little rainfall during all these years ;

(*c*) whether it is a fact that the above said road is a main road connecting six (6) Taluk Head Quarters and the Headquarters of Bijapur District ;

(*d*) whether preparation of plans and estimates of Cross Drainage Works of the above said road or the construction of the above said entire road was taken up at any time since 1956 to upto this day ?

Sri H. M. CHANNABASAPPA (Minister for Public Works and Eletricity).—

(*a*) Government of India did not accord approval to take up original works on the temporary alignment of the National Highway ;

(*b*) No. There are 3 nallas out of which culverts have been constructed across 30 nallas ;

Out of the remaining 43 nallas, 22 culverts and 21 minor bridges are to be constructed ;

Traffic is obstructed at these unbridged crossings only during heavy rainfall;

(*c*) It connects Hungund, Bagewadi and Muddebihal Taluks and the District Headquarters, *i.e.*, Bijapur;

(*d*) Yes.

BENAKANAHALLI MINOR IRRIGATION WORKS

541. Sri K. VENKATAPPA (Shikaripur).—

Will the Minister for Public Works and Electricity be pleased to state:—

(*a*) whether the plan and estimates in respect of Benakanahalli minor irrigation works has been prepared;

(*b*) if so, the estimated cost;

(*c*) whether the estimate of this Reservoir has been included in the Budget;

(*d*) if so, the reason for the Government for not implementing the same so far;

(*e*) whether the Government intends to complete the said work very soon?

Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(*a*) Yes;

(*b*) Rs. 2,41,000;

(*c*) Yes;

(*d*) and (*e*) After the detailed gauging of water available the question of taking up this work will be considered.

CONSTRUCTION OF TANK AT BYATARAYANA DODDIKERE.

658. Sri M. B. RAMASWAMY (Anekal).—

Will the Minister for Public Works be pleased to state:—

(*a*) whether it is a fact that the plans and estimates have been prepared in respect of Byatarayana Doddikere, Jigani Hobli, Anekal Taluk;

(*b*) if so, when; if not, the reason for not taking action so far to prepare plans and estimates?